

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Attractive Vignin 22311-1450

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO
10/694,765	10/29/2003	Francois Paul	4590-227	5287
7590 02/21/2008 LOWE HAUPTMAN GILMAN & BERNER, LLP			EXAMINER	
Suite 310			CHEEMA, UMAR	
1700 Diagonal ALEXANDRIA			ART UNIT	PAPER NUMBER
	-, ····		2144	
			02/21/2008	DELIVERY MODE

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

			A
	Application No.	Applicant(s)	
	10/694,765	PAUL, FRANCOIS	
Office Action Summary	Examiner	Art Unit	
	UMAR CHEEMA	2144	
The MAILING DATE of this communication Period for Reply	on appears on the cover sheet w	ith the correspondence address	
A SHORTENED STATUTORY PERIOD FOR F WHICHEVER IS LONGER, FROM THE MAILI Extensions of imme may be available under the provisions of 37 after SIX (6) MONTHS from the mailing date of this communical If NO period for raply is specified above, the maximum statutory Fallure to raply within the selection of the provision of 10 period for raply is specified above, the maximum statutory Fallure to raply within the selection of the provision of the selection of the selec	NG DATE OF THIS COMMUNI CFR 1.136(a). In no event, however, may a ion. period will apply and will expire SIX (6) MOI statute, cause the application to become A	CATION. reply be timely filed NTHS from the mailing date of this communication. BANDONED (35 U.S.C. § 133).	
Status			
1) Responsive to communication(s) filed on	27 November 2007	•	
	This action is non-final.		
3) Since this application is in condition for a		ters, prosecution as to the merits is	
closed in accordance with the practice ur	nder Ex parte Quayle, 1935 C.I	D. 11, 453 O.G. 213.	
Disposition of Claims			
4)⊠ Claim(s) 1-18 is/are pending in the applic	ation.		
4a) Of the above claim(s) is/are wi	thdrawn from consideration.		
5) Claim(s) is/are allowed.			
 Claim(s) <u>1-18</u> is/are rejected. 			
7) Claim(s) is/are objected to.		v	
8) Claim(s) are subject to restriction	and/or election requirement.		
Application Papers			
9) ☐ The specification is objected to by the Exa	aminer.		
10)⊠ The drawing(s) filed on 27 November 200	<u>7</u> is/are: a)⊠ accepted or b)□	objected to by the Examiner.	
Applicant may not request that any objection to		• •	
Replacement drawing sheet(s) including the o			
11) The oath or declaration is objected to by t	he Examiner. Note the attache	d Office Action or form PTO-152.	
Priority under 35 U.S.C. § 119			
12) Acknowledgment is made of a claim for fo	reign priority under 35 U.S.C.	§ 119(a)-(d) or (f).	
a) All b) Some * c) None of:			
1. Certified copies of the priority docu			
2. Certified copies of the priority docu			
3. Copies of the certified copies of the		received in this National Stage	
application from the International B * See the attached detailed Office action for			- 9
oce the attached detailed Office action for	a not of the certified copies not	received.	
ø)			
Attachment(s)			
1) Notice of References Cited (PTO-892)	4) 🗍 Interview	Summary (PTO-413)	
 Notice of Draftsperson's Patent Drawing Review (PTO-94 	8) Paper No(s)/Mail Date	
Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date	5) Motice of I	nformal Patent Application	

Art Unit: 2144

DETAILED ACTION

Response to Amendment

This action is response to the Amendment filed on 27 November 2007. Claims 1-18 are pending with claims 1 and 9 being the independent claims. Claims 1 and 9 have been amended.

Applicant's arguments, see remarks, field 11/27/2007, with respect to the Drawing and Specification have been fully considered and are persuasive. The objections to the Drawing and Specification have been withdrawn.

Response to Arguments

Applicant's arguments with respect to claims 1-18 have been considered but are moot in view of the new ground(s) of rejection.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior at are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Art Unit: 2144

The factual inquiries set forth in *Graham* v. *John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

1. Determining the scope and contents of the prior art.

2. Ascertaining the differences between the prior art and the claims at issue.

Resolving the level of ordinary skill in the pertinent art.

 Considering objective evidence present in the application indicating obviousness or nonobviousness.

Claims 1-18 are rejected under 35 U.S.C. 103(a) as being unpatentable over Punkaj et al (Punkaj) (US Patent# 6,229,795) in view of Schaeffer et al (Schaeffer) (US Patent # 5,455,821) and further in view of Yamashita (US Patent # 6,256,500).

Regarding claim 1, Pankaj substantially discloses the invention as claimed a method for the allocation of resources in a radio communications system in a state of broadcasting, comprising several stations, at least two of which are not within range of visibility, the method comprising the following steps: defining a graph of competition between the different stations;

assigning time intervals to each station in making successive passages on all the stations and carrying out the following steps at each passage and for each station (see col. 1, lines 34-49):

E is an interval of given time interval numbers (see col. 12, lines 55-57); n is the smallest natural integer that does not belong to the interval E (see col. 12, lines 58-59); (A.1) if it is not the first passage AND if n>Nmax, then no time interval whatsoever is added to the station Si (see fig. 5, col. 8, lines 5-20, col. 9, lines 27-42);

Application/Control Number: 10/694,765 Art Unit: 2144

- (A.2) if it is the first passage OR if n=<Nmax, then n is added to the time intervals assigned to Si (see fig. 7 (a-b), col. 11, lines 55-67, col. 12, lines 3-34);
- (B) the loop of the passages is continued on all the stations:
- (B.1) if, during a passage, no time interval has been added to any station, then no other passage is made; (B.2) if, during a passage, at least one time interval has been added, then a new passage is executed (see fig. 6 (a-c), col. 11, 12-54).

Pankaj do not explicitly disclose wherein said "a method for the allocation of resources in a communications system comprising several stations, at least two of which are not within range of visibility, the method comprising the following steps: defining a graph of competition between the different stations" and "a radio communications system in a state of broadcasting".

However in the same field of invention, Schaeffer discloses wherein said a method for the allocation of resources in a communications system comprising several stations (see abstract, col. 3, lines 9-25), at least two of which are not within range of visibility (see col. 1, lines 12-24), the method comprising the following steps: defining a graph of competition between the different stations (see col. 2, lines 21-30) and Yamashita further discloses wherein said a radio communications system in a state of broadcasting (see abstract, and col. 1, lines 9-12).

Therefore it would have been obvious to one of the ordinary skill in the art of networking at the time of this invention to combine the teaching of Pankaj, Schaeffer and Yamashita for a method for the allocation of resources in a radio communications system comprising several stations. Motivation for doing so would have been that it

Art Unit: 2144

provides for initial resource allocation as well as periodic system returning for enhanced system operation and efficiency.

Regarding claim 2, Pankaj discloses the method according to claim 1, wherein the interval E corresponds to a combination of the time interval numbers already assigned to a station Si during preceding passages (col. 12, lines 55-67) and time intervals already assigned to the stations Sj which are related to Si by a particular relationship known as a relationship of competition (col. 13, lines 1-15).

Regarding to claim 3, the combination of Pankaj and Schaeffer disclsoes the method according to claim 1, wherein the graph of the relationship of competition (Schaeffer: col. 2, lines 21-30) is set up according to the following steps: from a relationship of visibility written as R, a relationship of competition between stations, referenced C, is determined as follows (Punkaj: col. 6, lines 47-65):

two stations Si and Sj are in competition, SiCSj if and only if

(SiRSj and (NOT SjRSi))

or

(SjRSi and (NOT SiRSj))

or

(3 Sk such that SkRSi AND SkRSj AND NOT (SiRSj and SjRSi)) (Punkaj: col. 7,

lines 1-24, col. 7-8, lines 65-67, 1-20).

Art Unit: 2144

Regarding to claim 4, Punkaj discloses the method according to claim 1, further comprising the following steps:

- a) encoding the identifier I of each of the stations, on a number n of bits b1,b2,...
 bn, using two symbols corresponding respectively to a reception state and to a transmission state (col. 4, lines 46-65);
- b) for any unspecified station Si, during an attempt to make transmission, starting at a given identification slot (col. 13, lines 1-15);
- b.1) for i varying from 1 to n, b.1.1) if the value of bi is equal to the symbol corresponding to the reception state, the station Si receives during the slot k+i-1: if the station Si detects a signal sent by another station it considers itself not to be chosen; if the station Si detects nothing, the station Si continues to scan the bits bi (col. 8, lines 1-20),
- b.1.2) if the value of bi is equal to the symbol corresponding to the transmission state, the station transmits during the slot k+i -1 (col. 7, lines 66-67, col. 8, lines 1-20);
- c) allocating the medium to the station that has performed the step b.2) without receiving the transmission symbol (col. 8, lines 21-36).

Regarding to claim 5, Punkaj discloses the method according to claim 4, comprising a step b.0) preliminary to the step b.1) for the transmission of the transmission symbol by the station Si and wherein the steps b.1), b..1.1), b.1.2) may be carried out on identification slots varying from k +1 to k+n (col. 8, lines 1-20, col. 11, lines 12-54).

Art Unit: 2144

Regarding to claim 6, the combination of Pankaj and Schaeffer disclose the method according to claim 4 using binary encoding (Punkaj: col. 4, lines 46-65) and the reception operation "receive 1" when a station detects a signal coming from another station and "receive 0" when it receives no signal and the "send 1" operation when the station transmits a signal in a given slot (Schaeffer; col. 5, lines 27-46).

Regarding to claim 7, Pankaj discloses the method according to claim 4, using an identification number taken in an interval [0, N-1] with N=2ⁿ (col. 11, lines 12-40).

Regarding to claim 8, the combination of Pankaj and Schaeffer disclose the method according to claim 1, wherein the broadcasting medium is a radio station and wherein the stations are transmitter-receiver units (Pankaj: col. 1, lines 21-33, Schaeffer: col. 1, lines 12-24).

Regarding to claim 9, Punkaj substantially discloses the invention of as claimed a method for the allocation of access to a radio communication system in a state of broadcasting by several stations Si, wherein the stations are provided with a digital processing circuit adapted to executing the steps of a method comprising the following steps:

defining a graph of competition between the different stations:

Art Unit: 2144

assigning time intervals to each station in making successive passages on all the stations and carrying out the following steps at each passage and for each station (see col. 1, lines 34-49):

E is an interval of given time interval numbers (see col. 12, lines 55-57)

n is the smallest natural integer that does not belong to the interval E (see col. 12, lines 58-59),

- (A.1) if it is not the first passage AND if n>Nmax, then no time interval whatsoever is added to the station Si (see fig. 5, col. 8, lines 5-20, col. 9, lines 27-42);
- (A.2) if it is the first passage OR if n=<Nmax, then n is added to the time intervals assigned to Si (see fig. 7 (a-b), col. 11, lines 55-67, col. 12, lines 3-34);
 - (B) the loop of the passages is continued on all the stations:
- (B.1) if, during a passage, no time interval has been added to any station, then no other passage is made; (B.2) if, during a passage, at least one time interval has been added, then a new passage is executed (see fig. 6 (a-c), col. 11, 12-54).

Pankaj do not explicitly disclose wherein said "a method for the allocation of access to a broadcasting medium by several stations Si, wherein the stations are provided with a digital processing circuit adapted to executing the steps of a method comprising the following steps: defining a graph of competition between the different stations" and "a radio communications system in a state of broadcasting".

However in the same field of invention, Schaeffer discloses wherein said a method for the allocation of access to a broadcasting medium by several stations Si (see abstract, col. 3, lines 9-25), wherein the stations are provided with a digital

Art Unit: 2144

processing circuit adapted to executing the steps of a method comprising the following steps: defining a graph of competition between the different stations (see col. 2, lines 21-30) and Yamashita further discloses wherein said a radio communications system in a state of broadcasting (see abstract, and col. 1, lines 9-12).

Therefore it would have been obvious to one of the ordinary skill in the art of networking at the time of this invention to combine the teaching of Pankaj, Schaeffer and Yamashita for a method for the allocation of resources in a radio communications system comprising several stations. Motivation for doing so would have been that it provides for initial resource allocation as well as periodic system returning for enhanced system operation and efficiency.

Regarding to claim 10, Punkaj discloses the method according to claim 9 wherein the interval E corresponds to a combination of the time interval numbers already assigned to a station Si during preceding passages (col. 12, lines 55-67) and time intervals already assigned to the stations Sj which are related to Si by a particular relationship known as a relationship of competition (col. 13, lines 1-15).

Regarding to claim 11, the combination of Pankaj and Schaeffer disclose the method according to claim 9, wherein the graph of the relationship of competition (Schaeffer: col. 2, lines 21-30) is set up according to the following steps: from a relationship of visibility written as R, a relationship of competition between stations, referenced C, is determined as follows (Punkaj: col. 6, lines 47-65):

Art Unit: 2144

two stations Si and Sj are in competition, SiCSj if and only if

(SiRSj and (NOT SjRSi))

or

(SjRSi and (NOT SiRSj))

or

(∃ Sk such that SkRSi AND SkRSj AND NOT (SiRSj and SjRSi)) (Punkaj: col. 7, lines 1-24, col. 7-8, lines 65-67, 1-20).

Regarding to claim 12, Pankaj discloses the method according to claim 9, wherein the digital processing circuit is adapted for executing the following steps:

- a) encoding the identifier I of each of the stations, on a number n of bits b1,b2, . . bn, using two symbols corresponding respectively to a reception state and to a transmission state (col. 4, lines 46-65);
- b) for any unspecified station Si, during an attempt to make transmission, starting at a given identification slot (col. 13, lines 1-15);
- b.1)for i varying from 1 to n, b.1.1) if the value of bi is equal to the symbol corresponding to the reception state, the station Si receives during the slot k+i-1: if the station Si detects a signal sent by another station it considers itself not to be chosen; if the station Si detects nothing, the station Si continues to scan the bits bi (col. 8, lines 1-20), b.1.2) if the value of bi is equal to the symbol corresponding to the transmission state, the station transmits during the slot k+i -1 (col. 7, lines 66-67, col. 8, lines 1-20);

Art Unit: 2144

c) allocating the medium to the station that has performed the step b.2) without receiving the transmission symbol (col. 8, lines 21-36).

Regarding to claim 13, Punkaj discloses the method according to claim 12 wherein it comprising a step b.0) preliminary to the step b.1) for the transmission of the transmission symbol by the station Si and wherein the steps b.1), b..1.1), b.1.2) may be carried out on identification slots varying from k +1 to k+n (col. 8, lines 1-20, col. 11, lines 12-54).

Regarding to claim 14, the combination of Punkaj and Schaeffer disclose the method according to claim 12 using binary encoding (Punkaj: col. 4, lines 46-65) and the reception operation "receive 1" when a station detects a signal coming from another station and "receive 0" when it receives no signal and the "send 1" operation when the station transmits a signal in a given slot (Schaeffer: col. 5, lines 27-46).

Regarding to claim 15, the combination of Punkaj and Schaeffer disclose the method according to claim 9 wherein the broadcasting medium is a radio station and wherein the stations are transmitter-receiver units (Pankaj: col. 1, lines 21-33, Schaeffer: col. 1, lines 12-24).

Regarding to claim 16, Pankaj discloses the method according to claim 9 comprising a station configuration device that is separate from the stations (col. 2, lines 19-22).

Art Unit: 2144

Regarding to claim 17, the combination of Punkaj and Schaeffer disclose the method according to claim 5, using binary encoding (Punkaj: col. 4, lines 46-65) and the reception operation "receive 1" when a station detects a signal coming from another station and "receive 0" when it receives no signal and the "send 1" operation when the station transmits a signal in a given slot (Schaeffer: col. 5, lines 27-46).

Regarding to claim 18, the combination of Punkaj and Schaeffer disclose the method of claim 13, using binary encoding (Punkaj: col. 4, lines 46-65) and the reception operation "receive 1" when a station detects a signal coming from another station and "receive 0" when it receives no signal and the "send 1" operation when the station transmits a signal in a given slot (Schaeffer: col. 5, lines 27-46).

Examiner's Note: Examiner has cited particular paragraphs, figures, columns and line numbers in the references as applied to the claims above for the convenience of the applicant. Although the specified citations are representative of the teachings in the art and are applied to the specific limitations within the individual claim, other passages and figures may apply as well. It is respectfully requested from the applicant, in preparing the responses, to fully consider the references in entirety as potentially teaching all or part of the claimed invention, as well as the context of the passage as taught by the prior art or disclosed by the examiner.

Art Unit: 2144

Conclusion

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, THIS ACTION IS MADE FINAL. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to UMAR CHEEMA whose telephone number is (571)270-3037. The examiner can normally be reached on M-F 8:00AM-5:00PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, William Jr. Vaughn can be reached on 571-272-3922. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2144

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

uc